



Innovation
that excites

NISSAN MOTOR OIL FULL SYNTHETIC 5W30 C4 DPF

High Performance Synthetic Technology Diesel Engine Oil formulated for compatibility with Post Treatment Systems including Diesel Particulate Filters

USES

- Recommended in particular for the engines respecting the EURO IV norms about emission reduction
- Recommended for Nissan Diesel Engines requiring an SAE 5W-30 motor oil
- Mandatory for modern Nissan Diesel Engines fitted with Post Treatment Systems (Diesel Particulate Filters)
- Designed for use in demanding driving conditions including city, country and motorway
- Engineered for use in all climates
- Refer to your vehicle's Owner's Manual or Nissan Workshop Manual for refill and maintenance schedules

PERFORMANCE

NISSAN MOTOR OIL FULL SYNTHETIC 5W-30 CF DPF meets or exceeds the requirements of:

- API SM/CF
- ACEA C4
- NISSAN - models fitted with DPF (Diesel Particulate Filter)

CLIENTS BENEFITS

- Optimal engine cleanliness
- Exceptional thermal stability and oxidation resistance
- Sustained engine component protection
- Resistance to DPF contamination and blocking
- Minimised harmful exhaust emissions

CHARACTERISTICS

| | Method | Units | SAE Grade 5W30 |
|---------------------|------------|--------------------|----------------|
| Viscosity at 40°C | ASTM D445 | mm ² /s | 73 |
| Viscosity at 100 °C | ASTM D445 | mm ² /s | 12.3 |
| Viscosity index | ASTM D2270 | - | 165 |
| Pour Point | ASTM D97 | °C | -39 |
| Flash Point | ASTM D92 | °C | 230 |

The typical characteristics mentioned represent mean values

This lubricant, when used in accordance with our recommendations and for the application for which it is intended, does not constitute a special hazard. A safety data file conforming to the requirements of current EC legislation is available from your local trade consultant.